

Water-Data Report 2006

04085046 APPLE CREEK AT SNIDERVILLE, WI

Fox Basin
Lower Fox Subbasin

LOCATION.--Lat 44°21'18", long 88°11'28" referenced to North American Datum of 1927, in NW ¼ NW ¼ sec.27, T.22 N., R.19 E., Brown County, WI, Hydrologic Unit 04030204, on left bank 500 ft downstream of County Trunk Highway U, 2.0 mi upstream from Christy Brook and 2.0 mi north of Plum Creek on County Trunk Highway U.

DRAINAGE AREA.--45.8 mi².

SURFACE-WATER RECORDS

PERIOD OF RECORD.--October 2003 to November 16, 2006 (discontinued).

GAGE.--Water-stage recorder. Elevation of gage is 640 ft above NGVD of 1929, from topographic map.

REMARKS.--Records good except for estimated daily discharges and those rated under 0.5 cfs, which are poor.

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
DAILY MEAN VALUES

[e, estimated]

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	6.6	2.1	e12	e6.0	e38	e8.0	16	6.2	18	3.7	8.4	1.4
2	4.0	2.1	e8.0	e13	e28	e7.0	17	8.6	8.3	2.5	5.4	1.3
3	2.5	2.3	e5.7	e36	e23	e7.2	72	7.5	5.7	1.9	3.3	0.95
4	1.8	2.3	e4.8	e48	e18	e7.6	79	6.6	4.4	1.5	2.5	0.72
5	1.8	2.6	e4.4	e60	e15	e8.1	39	6.3	3.5	1.2	1.8	0.57
6	2.2	10	e4.2	e46	e12	e8.5	25	5.4	3.1	1.0	1.7	0.33
7	4.2	31	e4.2	e32	e9.3	e9.3	21	5.0	3.4	0.90	1.5	0.14
8	4.4	15	e4.1	e21	e6.7	e11	19	4.7	3.7	0.76	1.7	0.86
9	2.7	7.6	e3.9	e16	e8.2	e18	15	4.6	3.2	0.71	1.6	1.6
10	2.2	4.7	e3.5	e12	e6.3	e51	13	5.1	2.4	0.54	1.3	2.1
11	1.8	3.5	e2.9	e9.8	e7.1	e174	11	18	2.0	0.59	1.1	2.9
12	1.5	2.5	e2.3	e8.5	e7.1	e329	22	238	1.7	0.63	0.95	3.1
13	1.5	2.0	e2.3	e7.6	e7.4	e289	57	231	1.6	0.62	0.86	4.9
14	1.6	1.8	e2.3	e7.3	e6.3	e134	38	180	1.5	0.63	0.98	3.8
15	1.9	2.3	e2.5	e6.6	e5.6	e75	31	157	1.6	0.65	0.66	2.2
16	1.8	12	e2.6	e5.9	e5.2	e53	21	94	1.6	0.55	0.39	1.4
17	2.0	27	e2.2	e5.0	e4.3	e37	16	99	1.5	0.44	0.34	0.98
18	2.1	15	e1.7	e4.5	e2.6	e26	12	61	1.6	0.24	0.47	0.85
19	2.0	8.2	e1.3	e4.2	e3.6	24	10	36	1.5	0.15	0.58	0.74
20	2.2	6.1	e1.2	e3.9	e4.1	20	9.4	22	2.3	0.30	0.57	0.83
21	3.5	5.2	e1.2	e3.5	e4.6	17	8.6	16	2.0	0.79	0.36	0.67
22	3.6	4.2	e1.2	e3.1	e6.7	15	7.7	12	1.8	1.5	0.19	0.63
23	4.3	3.4	e1.3	e2.9	e8.7	13	7.4	9.8	1.6	1.4	0.08	0.56
24	5.4	e3.2	e1.5	e3.0	e8.9	13	8.3	8.6	1.8	1.3	0.16	0.89
25	5.6	e2.6	e1.8	e2.9	e8.9	12	7.9	18	2.1	2.0	0.64	2.1
26	4.1	2.4	e2.4	e2.8	e8.5	12	6.9	21	3.3	2.7	0.97	2.3
27	3.5	2.2	e2.9	e3.0	e8.5	12	6.1	15	4.6	3.7	1.8	2.3
28	2.8	21	e3.7	e4.3	e8.3	12	5.2	10	3.7	3.3	1.9	2.1
29	2.5	43	e4.2	e28	---	12	4.9	8.4	3.1	2.2	1.6	2.7
30	2.3	27	e4.5	e61	---	12	5.0	6.8	5.0	6.8	1.3	3.8
31	2.2	---	e4.8	e48	---	13	---	26	---	10	1.2	---
Total	90.6	274.3	105.6	515.8	280.9	1,439.7	611.4	1,347.6	101.6	55.20	46.30	49.72
Mean	2.92	9.14	3.41	16.6	10.0	46.4	20.4	43.5	3.39	1.78	1.49	1.66
Max	6.6	43	12	61	38	329	79	238	18	10	8.4	4.9
Min	1.5	1.8	1.2	2.8	2.6	7.0	4.9	4.6	1.5	0.15	0.08	0.14
Cfsm	0.06	0.20	0.07	0.36	0.22	1.01	0.44	0.95	0.07	0.04	0.03	0.04
In.	0.07	0.22	0.09	0.42	0.23	1.17	0.50	1.09	0.08	0.04	0.04	0.04

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2004 - 2006, BY WATER YEAR (WY)

	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Mean	3.87	22.9	12.8	12.1	33.1	120	17.1	55.1	37.5	2.83	3.05	1.71
Max	5.86	54.2	17.5	16.6	55.4	172	20.7	113	87.7	4.37	6.51	3.09
(WY)	(2005)	(2004)	(2005)	(2006)	(2005)	(2004)	(2005)	(2004)	(2004)	(2004)	(2005)	(2005)
Min	2.84	5.24	3.41	7.99	10.0	46.4	10.3	9.39	3.39	1.78	1.15	0.38
(WY)	(2004)	(2005)	(2006)	(2004)	(2006)	(2006)	(2004)	(2005)	(2006)	(2006)	(2004)	(2004)


04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

SUMMARY STATISTICS

	Calendar Year 2005		Water Year 2006		Water Years 2004 - 2006	
Annual total	8,727		4,918			
Annual mean	23.9		13.5		26.9	
Highest annual mean					42.1	2004
Lowest annual mean					13.5	2006
Highest daily mean	^a 627	Mar 27	^a 329	Mar 12	967	Mar 6, 2004
Lowest daily mean	0.11	Aug 9	0.08	Aug 23	0.02	Oct 7, 2004
Annual seven-day minimum	0.21	Jul 17	0.34	Aug 18	0.04	Oct 1, 2004
Maximum peak flow			b		1,820	Mar 6, 2004
Maximum peak stage			^a 6.90	Mar 12	8.34	Mar 6, 2004
Annual runoff (cfsm)	0.522		0.294		0.587	
Annual runoff (inches)	7.09		4.00		7.98	
10 percent exceeds	59		26		58	
50 percent exceeds	4.2		4.1		4.6	
90 percent exceeds	0.94		0.86		0.75	

^a Ice affected.

^b Unknown.



04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

WATER-QUALITY RECORDS

SUSPENDED SOLIDS, DRIED AT 105 DEGREES CELSIUS, WATER, UNFILTERED, TONS PER DAY
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.33	0.030	0.15	0.050	1.64	0.060	0.33	0.050	2.45	0.36	0.95	0.050
2	0.10	0.020	0.080	0.22	0.98	0.050	0.43	0.090	0.65	0.21	0.43	0.040
3	0.030	0.030	0.060	2.04	0.68	0.050	9.30	0.080	0.44	0.14	0.21	0.030
4	0.020	0.030	0.050	2.85	0.44	0.060	6.52	0.070	0.34	0.090	0.12	0.020
5	0.020	0.030	0.040	2.92	0.32	0.060	1.17	0.070	0.27	0.070	0.070	0.010
6	0.020	0.37	0.040	1.74	0.23	0.070	0.51	0.060	0.23	0.060	0.070	0.007
7	0.060	2.34	0.040	0.86	0.15	0.070	0.31	0.050	0.25	0.050	0.060	0.003
8	0.070	0.73	0.030	0.43	0.090	0.15	0.23	0.050	0.27	0.040	0.070	0.020
9	0.020	0.18	0.030	0.25	0.090	0.58	0.15	0.050	0.24	0.040	0.060	0.030
10	0.020	0.060	0.030	0.17	0.070	5.50	0.10	0.060	0.18	0.030	0.050	0.040
11	0.020	0.030	0.020	0.12	0.060	65.6	0.070	1.81	0.14	0.030	0.040	0.11
12	0.010	0.020	0.020	0.10	0.060	157	0.44	163	0.12	0.040	0.030	0.24
13	0.010	0.010	0.010	0.080	0.040	338	3.96	86.1	0.11	0.030	0.030	0.54
14	0.010	0.010	0.010	0.070	0.030	195	1.55	28.3	0.11	0.030	0.030	0.27
15	0.020	0.010	0.010	0.050	0.030	123	0.97	23.7	0.11	0.040	0.020	0.10
16	0.020	0.46	0.010	0.050	0.030	45.2	0.39	12.1	0.11	0.030	0.010	0.050
17	0.020	0.97	0.010	0.040	0.020	12.8	0.21	13.1	0.11	0.020	0.010	0.030
18	0.020	0.26	0.009	0.030	0.010	3.63	0.11	7.89	0.12	0.010	0.020	0.020
19	0.020	0.10	0.007	0.030	0.020	1.53	0.060	3.58	0.11	0.008	0.020	0.020
20	0.020	0.060	0.006	0.020	0.020	0.64	0.050	1.62	0.16	0.020	0.020	0.020
21	0.040	0.040	0.006	0.020	0.030	0.29	0.050	1.01	0.14	0.040	0.010	0.010
22	0.040	0.030	0.006	0.020	0.040	0.24	0.040	0.72	0.13	0.080	0.006	0.010
23	0.060	0.030	0.007	0.020	0.060	0.22	0.040	0.54	0.11	0.080	0.003	0.010
24	0.10	0.030	0.008	0.020	0.060	0.20	0.040	0.44	0.13	0.070	0.005	0.010
25	0.10	0.020	0.010	0.020	0.060	0.20	0.040	2.57	0.14	0.11	0.020	0.030
26	0.060	0.020	0.010	0.020	0.060	0.20	0.040	3.28	0.25	0.19	0.040	0.040
27	0.050	0.020	0.020	0.020	0.060	0.19	0.030	1.25	0.41	0.46	0.090	0.030
28	0.040	1.02	0.020	0.020	0.060	0.19	0.030	0.62	0.42	0.32	0.10	0.030
29	0.030	2.19	0.030	4.23	---	0.19	0.030	0.41	0.41	0.16	0.080	0.040
30	0.030	0.57	0.030	23.9	---	0.20	0.030	0.29	0.58	0.95	0.060	0.070
31	0.030	---	0.040	2.85	---	0.22	---	6.43	---	1.49	0.050	---
Total	1.440	9.720	0.849	43.260	5.440	951.390	27.230	359.390	9.24	5.298	2.784	1.930

Water Year 2006

Total	1,417.971
--------------	-----------

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

PHOSPHORUS, WATER, UNFILTERED, POUNDS PER DAY
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	6.62	1.83	8.76	3.18	42.1	3.20	9.77	3.72	26.2	5.83	13.4	1.71
2	3.90	1.74	5.07	10.3	25.2	2.80	10.5	6.25	10.4	3.97	7.37	1.49
3	2.34	1.80	3.32	55.4	16.6	2.86	82.3	5.39	7.14	3.15	4.47	1.11
4	1.68	1.77	2.54	80.3	11.3	3.02	71.9	4.49	5.41	2.48	3.29	0.83
5	1.58	1.86	2.25	93.3	9.00	3.26	23.5	4.09	4.31	1.93	2.32	0.65
6	1.91	8.36	2.12	60.1	6.87	3.38	13.5	3.35	3.71	1.72	2.18	0.37
7	4.35	51.3	2.09	34.4	5.07	3.71	11.1	2.95	4.04	1.50	1.93	0.15
8	4.64	21.3	2.02	18.6	3.51	6.45	9.79	2.62	4.39	1.27	2.19	0.92
9	2.17	7.04	1.88	11.9	4.12	19.7	7.79	2.40	3.81	1.20	2.02	1.71
10	1.68	3.42	1.69	8.27	2.99	76.6	6.38	2.56	2.85	0.92	1.70	2.16
11	1.33	2.25	1.35	6.02	3.26	379	5.44	29.0	2.31	1.01	1.35	2.98
12	1.12	1.61	1.06	4.75	3.11	664	13.2	578	1.97	1.10	1.18	3.15
13	1.03	1.22	1.04	3.83	3.08	1,930	48.0	379	1.81	1.08	1.06	4.66
14	1.13	1.09	1.04	3.51	2.52	1,010	27.7	223	1.75	1.12	1.19	2.66
15	1.34	1.37	1.11	3.12	2.24	448	21.0	200	1.84	1.15	0.80	1.50
16	1.28	13.4	1.12	2.74	2.08	243	12.4	121	1.90	0.98	0.47	1.14
17	1.38	45.1	0.97	2.28	1.74	113	8.56	118	1.88	0.80	0.40	1.00
18	1.47	16.1	0.75	2.03	1.02	52.5	5.96	67.7	2.06	0.43	0.56	1.06
19	1.42	6.47	0.57	1.84	1.44	32.6	5.07	39.1	1.95	0.27	0.71	1.12
20	1.54	4.18	0.52	1.67	1.63	17.8	4.58	23.7	2.96	0.56	0.69	1.53
21	2.68	3.26	0.51	1.50	1.83	10.3	4.17	16.5	2.66	1.49	0.44	1.38
22	3.04	2.52	0.51	1.29	2.69	8.65	3.72	12.4	2.50	2.94	0.24	1.11
23	4.50	2.03	0.55	1.21	3.47	7.93	3.62	9.72	2.15	2.77	0.10	0.84
24	6.13	1.83	0.63	1.21	3.56	7.43	4.03	8.44	2.58	2.61	0.21	1.11
25	6.44	1.45	0.81	1.19	3.57	7.41	3.82	27.7	2.97	4.00	0.81	2.19
26	4.21	1.32	1.07	1.15	3.38	7.26	3.33	33.3	4.88	5.36	1.24	2.10
27	3.60	1.20	1.36	1.21	3.38	6.95	2.98	16.5	6.87	7.49	2.36	1.70
28	2.87	34.6	1.77	1.75	3.32	6.99	2.53	11.8	5.73	6.60	2.45	1.35
29	2.46	69.8	2.05	72.6	---	7.09	2.36	9.88	4.90	4.47	2.07	1.50
30	2.16	26.7	2.28	162	---	7.15	2.50	8.33	7.93	16.7	1.62	2.34
31	2.00	---	2.49	65.6	---	7.77	---	48.5	---	20.5	1.43	---
Total	84.00	337.92	55.30	718.25	174.08	5,099.81	431.50	2,019.39	135.86	107.40	62.25	47.52

Water Year 2006	
Total	9,273.28

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 1 of 3

[Remark codes: <, less than.]

Date	Time	Dis-charge, cfs (00060)	Instan- taneous dis-charge, cfs (00061)	Sam- pling method, code (82398)	Residue total at 105 deg. C, sus- pended, mg/L (00530)	Phos- phorus, water, fltrd, mg/L (00666)	Phos- phorus, water, unfltrd mg/L (00665)	Sus- pended sedi- ment concen- tration mg/L (80154)
Oct								
13...	1059	--	1.5	10	3	--	.130	--
28...	1040	--	2.8	10	5	.170	.190	--
Nov								
06...	1845	--	13	50	17	--	.160	--
07...	0645	--	38	50	35	--	.300	--
08...	0645	--	17	50	22	.230	.320	--
15...	1000	--	1.8	10	<2	--	.110	--
16...	1320	--	6.0	50	3	--	.130	--
16...	1945	--	26	50	25	--	.230	--
17...	1945	--	18	50	10	.260	.330	--
28...	1010	--	15	50	7	--	.190	--
28...	2215	--	41	50	34	--	.480	--
29...	2215	--	38	50	13	.200	.240	--
30...	0945	--	28	50	8	--	.200	--
Dec								
17...	1140	2.2	--	10	<2	--	.080	--
Jan								
03...	1530	36	--	50	29	.270	.360	--
05...	1355	60	--	10	18	--	.290	--
24...	0800	3.0	--	10	<2	.069	.075	--
29...	1310	28	--	50	37	--	.790	--
29...	1940	28	--	50	129	--	.760	128
30...	0200	61	--	50	381	--	.860	--
30...	1400	61	--	50	97	.240	.420	--
31...	0950	48	--	50	21	.180	.270	--
Feb								
14...	1200	6.3	--	10	<2	.070	.074	--

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 2 of 3

[Remark codes: <, less than.]

Date	Time	Dis-charge, cfs (00060)	Instan- taneous dis-charge, cfs (00061)	Sam- pling method, code (82398)	Residue	Phos- phorus, water, flttd, mg/L (00666)	Phos- phorus, water, unflttd mg/L (00665)	Suspd.	Sus-
					total at 105 deg. C, sus- pended, mg/L (00530)			sedi- ment, sieve diametr <.063mm (70331)	sedi- ment concen- tration mg/L (80154)
Mar									
09...	1905	18	--	50	16	--	.260	--	8
10...	1830	51	--	50	67	--	.320	--	--
11...	0745	174	--	50	31	--	.310	--	31
11...	1500	174	--	50	269	--	.560	--	--
11...	1750	174	--	50	318	--	.620	--	--
11...	1910	174	--	50	324	--	.560	83	284
12...	0710	329	--	50	132	.160	.340	--	--
12...	1130	329	--	10	132	--	.390	--	--
12...	1140	329	--	50	143	--	.340	--	--
13...	0445	289	--	50	470	--	.630	--	--
13...	1610	289	--	50	498	.160	.670	--	--
13...	1611	289	--	10	448	--	.610	--	--
13...	2145	289	--	50	518	--	4.96	--	--
14...	1130	134	--	50	592	--	.920	--	--
15...	1535	75	--	50	728	.140	1.29	--	--
21...	1110	--	16	10	6	.090	.110	--	--
Apr									
03...	0800	--	40	50	33	--	.170	--	--
03...	1300	--	80	50	61	--	.270	--	--
04...	0100	--	116	50	56	--	.210	--	--
05...	1550	--	35	10	10	.090	.100	--	--
12...	1120	--	16	10	<2	--	.090	--	--
May									
02...	1500	--	8.8	10	4	.060	.140	--	--
11...	1620	--	19	50	28	--	.280	--	--
12...	0120	--	92	50	103	--	.520	--	--
12...	0405	--	154	50	202	.300	.580	--	--
12...	2055	--	302	50	365	.180	.430	--	--
13...	2055	--	175	50	64	--	.260	--	--
14...	2055	--	208	50	64	.160	.240	--	--
15...	0855	--	168	50	67	.160	.250	--	--
15...	2055	--	123	50	52	.160	.270	--	--
18...	1125	--	62	10	41	--	.220	--	--
18...	1126	--	62	50	55	--	.220	--	--
25...	1445	--	21	50	46	--	.190	--	--
26...	2130	--	21	50	40	--	.210	--	--
30...	1400	--	6.6	10	16	.180	.230	--	--
31...	1150	--	20	50	52	--	.320	--	--
31...	1545	--	47	50	163	.220	.460	--	--

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 3 of 3

[Remark codes: <, less than.]

Date	Time	Instan- taneous dis- charge, cfs (00061)	Sam- pling method, code (82398)	Residue	Phos- phorus, water, fltred, mg/L (00666)	Phos- phorus, water, unfltred mg/L (00665)	Sus- pended
				total at 105 deg. C, sus- pended, mg/L (00530)			sediment concent- ration mg/L (80154)
Jun							
01...	0345	24	50	65	--	.300	--
13...	1330	1.6	10	26	--	.210	--
29...	1010	3.1	10	51	.190	.290	--
Jul							
19...	1245	.14	10	20	--	.340	--
27...	0945	3.6	10	51	.250	.370	--
30...	0720	14	50	180	--	.530	--
Aug							
17...	1410	.38	10	12	--	.220	--
27...	1115	2.0	10	--	--	--	65
28...	1035	2.0	10	20	.200	.240	--
Sep							
12...	1845	3.2	50	37	--	.200	--
13...	0710	5.5	50	51	--	.200	--
13...	1910	4.7	50	42	--	.180	--
14...	1910	3.2	50	24	--	.120	--
21...	0735	.65	10	7	--	.400	--
29...	1050	2.6	10	5	.070	.100	--

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

CLIMATOLOGICAL RECORDS

PERIOD OF RECORD.--November 2003 to November 2006 (non-frozen precipitation).

INSTRUMENTATION.--Tipping bucket rain gage with electronic datalogger.

REMARKS.--Rainfall estimated to be 0.00 for Nov. 16-17, 19, Dec. 15, 23, 30, 31, Jan. 1-3, 31, Feb. 1, 3, 11, 14, 15, Mar. 2, and 6-9 because precipitation interpreted as collector snow melt.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily rainfall, 1.90 in., June 13, 2005.

EXTREMES FOR CURRENT YEAR.--Maximum daily rainfall, 1.73 in., May 11.

PRECIPITATION, TOTAL, INCHES
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
DAILY SUM VALUES

[e, estimated]

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	e0.00	0.00	e0.00	0.30	0.01	0.05	0.00	0.37	0.00
3	0.00	0.00	0.00	e0.00	e0.00	0.00	0.21	0.01	0.00	0.00	0.00	0.00
4	0.05	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.09	0.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.26	0.40	0.00	0.00	0.00	e0.00	0.01	0.00	0.18	0.00	0.14	0.00
7	0.00	0.00	0.00	0.00	0.00	e0.00	0.13	0.00	0.01	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	0.00	0.00	0.26
9	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	0.17	0.00	0.00	0.00	0.03
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
11	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	1.73	0.00	0.00	0.00	0.74
12	0.01	0.14	0.00	0.00	0.00	0.24	0.64	0.55	0.00	0.00	0.00	0.20
13	0.01	0.00	0.00	0.00	0.00	0.31	0.05	0.14	0.00	0.00	0.00	0.01
14	0.00	0.01	0.00	0.00	e0.00	0.00	0.02	0.26	0.09	0.00	0.16	0.00
15	0.00	0.70	e0.00	0.00	e0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00
16	0.00	e0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.00
17	0.10	e0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.02	0.04
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
19	0.00	e0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.02	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.30	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
22	0.57	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.06	0.00	0.18
23	0.16	0.08	e0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.10	0.22
24	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.28	0.42	0.55	0.29	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.21	0.04	0.07	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.00
27	0.00	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.33
28	0.00	0.22	0.00	0.59	0.00	0.00	0.00	0.03	0.43	0.00	0.00	0.05
29	0.00	0.00	0.00	0.61	---	0.00	0.06	0.00	0.00	0.00	0.00	0.06
30	0.05	0.00	e0.00	0.00	---	0.00	0.20	0.00	0.00	2.55	0.00	0.03
31	0.00	---	e0.00	e0.00	---	0.14	---	0.53	---	0.00	0.00	---
Total	1.31	2.86	0.00	1.41	0.00	0.69	1.86	4.12	1.44	3.92	1.17	2.19

04085046 APPLE CREEK AT SNIDERVILLE, WI—Continued

Water Year 2006	
Total	20.97

PRECIPITATION, TOTAL, INCHES
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY SUM VALUES

***** THESE DATA ARE NOT FLAGGED "APPROVED" IN THE DATABASE *****

[e, estimated]

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.01	0.00	---	---	---	---	---	---	---	---	---	---
2	0.20	0.00	---	---	---	---	---	---	---	---	---	---
3	0.28	0.00	---	---	---	---	---	---	---	---	---	---
4	0.24	0.00	---	---	---	---	---	---	---	---	---	---
5	0.00	0.00	---	---	---	---	---	---	---	---	---	---
6	0.00	0.00	---	---	---	---	---	---	---	---	---	---
7	0.00	0.00	---	---	---	---	---	---	---	---	---	---
8	0.00	0.02	---	---	---	---	---	---	---	---	---	---
9	0.00	0.00	---	---	---	---	---	---	---	---	---	---
10	0.15	0.00	---	---	---	---	---	---	---	---	---	---
11	0.29	e0.00	---	---	---	---	---	---	---	---	---	---
12	0.00	e0.00	---	---	---	---	---	---	---	---	---	---
13	0.00	e0.00	---	---	---	---	---	---	---	---	---	---
14	0.00	0.00	---	---	---	---	---	---	---	---	---	---
15	0.00	0.00	---	---	---	---	---	---	---	---	---	---
16	0.26	---	---	---	---	---	---	---	---	---	---	---
17	0.51	---	---	---	---	---	---	---	---	---	---	---
18	0.14	---	---	---	---	---	---	---	---	---	---	---
19	0.00	---	---	---	---	---	---	---	---	---	---	---
20	0.00	---	---	---	---	---	---	---	---	---	---	---
21	0.24	---	---	---	---	---	---	---	---	---	---	---
22	0.07	---	---	---	---	---	---	---	---	---	---	---
23	0.00	---	---	---	---	---	---	---	---	---	---	---
24	0.00	---	---	---	---	---	---	---	---	---	---	---
25	0.00	---	---	---	---	---	---	---	---	---	---	---
26	0.00	---	---	---	---	---	---	---	---	---	---	---
27	0.00	---	---	---	---	---	---	---	---	---	---	---
28	0.08	---	---	---	---	---	---	---	---	---	---	---
29	0.00	---	---	---	---	---	---	---	---	---	---	---
30	0.00	---	---	---	---	---	---	---	---	---	---	---
31	0.00	---	---	---	---	---	---	---	---	---	---	---
Total	2.47	---	---	---	---	---	---	---	---	---	---	---