

REFERENCES

- Arnold, C.L., Jr.; Gibbons, C. 1996. Impervious Surface Coverage. Journal of the American Planning Association, 62(2): 243-259.
- Arnold, J.G.; Srinivasin, R.; Muttiah, R.S.; Williams, J.R. 1998. Large Area Hydrologic Modeling and Assessment: Part I, Model Development. Journal of the American Water Resources Association, 34(1): 73-89
- Ankorn, Paul D. 2003. Clarifying Turbidity – The Potential and Limitations of Turbidity as a Surrogate for Water-Quality Monitoring, Proceedings of the 2003 Georgia Water Resources Conference, Athens, GA, 23-24 April 2003.
- Autodesk, Inc. 1999. AutoCAD 2000.
- Baumgart, Paul. 2005. Lower Green Bay and Lower Fox Tributary Modeling Report: Source Allocation of Suspended Sediment and Phosphorus Loads to Green Bay from the Lower Fox River Subbasin Using the Soil and Water Assessment Tool (SWAT). Oneida Tribe of Indians of Wisconsin and the Science and Technical Advisory Committee of the Green Bay Remedial Action Plan (RAP), Green Bay, WI.
- Bhaduri, Budhendra; Minner, Marie; Tatalovich Coyle, Susan; Harbor, Jon. 2002. Closure to “Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models”. Journal of Water Resources Planning and Management, 128(6): 463-464.
- Blanchard, Stephen F.; Miller, Timothy. 2004. The Graphical Constituent Loading Analysis System (GCLAS) for computing discharges of suspended sediment and other water-quality constituents. US Geological Survey Office of Surface Water Technical Memorandum No. 2004.02, Office of Water Quality Technical Memorandum No. 2004.02. <<http://water.usgs.gov/admin/memo/QW/qw04.02.html>>, accessed 2 March 2005.
- Bledsoe, Brian P.; Watson, Chester C. 2001. Effects of Urbanization on Channel Instability. Journal of the American Water Resources Association, 37(2): 255-270.
- Booth, Derek B. 1990. Stream-Channel Incision Following Drainage-Basin Urbanization. Water Resources Bulletin, 26(3): 407-417.
- Booth, Derek B. 1991. Urbanization and the Natural Drainage System – Impacts, Solutions, and Prognoses. The Northwest Environmental Journal, 7(1): 93-118.
- Christensen, V.G.; Jian, X.; Ziegler, A.C. 2000. Regression Analysis and Real-Time Water-Quality Monitoring to Estimate Constituent Concentrations, Loads, and

Yields in the Little Arkansas River, South-Central Kansas. US Geological Survey Water-Resources Investigations Report 00-4126, Wichita, KS.

- Christensen, V.G.; Rasmussen, P.P; Ziegler, A.C. 2002. Comparison of Estimated Sediment Loads Using Continuous Turbidity Measurements and Regression Analysis, Turbidity and Other Sediment Surrogates Workshop, Reno, NV, 30 April - 2 May 2002.
- City of Green Bay. 2003. Green Bay Smart Growth 2022: Objectives and Policies.
- Clesceri, Lenore S.; Greenberg, Arnold E.; Trussell, R. Rhodes. 1998. Standard Methods for the Examination of Water and Wastewater. 20th ed. Washington, D.C.: American Public Health Association.
- Cody, Ronald P.; Smith, Jeffrey K. 1997. Applied Statistics and the SAS Programming Language. Upper Saddle River, NJ: Prentice Hall.
- Dewberry, Sidney O, ed. 1996. Land Development Handbook: Planning, Engineering, and Surveying. New York, NY: McGraw Hill, Inc.
- Ehlinger, Timothy. 2002. Interim Report: Monitoring of Stream Habitat & Aquatic Biotic Integrity, Pike River North and South Branches, Racine and Kenosha Counties, Wisconsin. Department of Biological Sciences, University of Wisconsin – Milwaukee, 6 December 2002. <http://www.uwm.edu/~ehlinger/data/pike_river_report_120602.pdf>, accessed 31 March 2005.
- ESRI, Inc. 2002. ArcGIS 8.3.
- Graf, William L. 1977. Network Characteristics in Suburbanizing Streams. Water Resources Research, 13(2): 459-463.
- Gray, J.R.; Glysson, G.D.; Turcios, L.M.; Schwarz, G.E. 2000. Comparability of Suspended-Sediment Concentration and Total Suspended Solids Data. US Geological Survey Water-Resources Investigations Report 00-4191, Reston, VA.
- Harrelson, C.C.; Rawlins, C.L.; Potyondy, J.P. 1994. Stream Channel Reference Sites: An Illustrated Guide to Field Technique. U.S. Forest Service General Technical Report RM-245, Fort Collins, CO.
- Kovacic, D.A.; David, M.B.; Gentry, L.E.; Starks, K.M.; Cooke, R.A. 2000. Effectiveness of Constructed Wetlands in Reducing Nitrogen and Phosphorus Export from Agricultural Tile Drainage. Journal of Environmental Quality, 29(4): 1262-74.
- Krug, William R.; Goddard, Gerald L. 1986. Effects of Urbanization on Streamflow, Sediment Loads, and Channel Morphology in Pheasant Branch Basin Near

- Middleton, Wisconsin. US Geological Survey Water-Resources Investigations Report 85-4068, Madison, WI.
- Lake Michigan Forum. 2004. Baird Creek Watershed Stewardship Assessment. Madison, WI.
- Lewis, Jack. 1996. Turbidity Controlled Suspended Sediment Sampling for Runoff-Event Load Estimation. Water Resources Research, 32(7): 2299-2310.
- Lower Fox River Watershed Monitoring Program. 2005. UW-Milwaukee Monitoring Data. <<http://www.uwgb.edu/watershed/data/UWM.htm>>, accessed 22 March 2005.
- Lyons, John. 1992. Using the Index of Biotic Integrity (IBI) to Measure Environmental Quality in Warmwater Streams of Wisconsin. US Forest Service, North Central Forest Experiment Station, General Technical Report NC-149, St. Paul, MN.
- Marsh-McBirney, Inc. 1994. Open Channel Profiling Handbook. Frederick, MD: Marsh-McBirney, Inc.
- McClintock, Tom; Cutforth, Larry. 2003. Land Use Impacts for the Black Earth Creek Watershed Modeled with GIS. ArcNews, 25(2): 26-27.
- Meyer, Steven J. 2004. University of Wisconsin-Green Bay Climatologist. Personal communication.
- Morley, Sarah A. 2000. Effects of Urbanization on the Biological Integrity of Puget Sound Lowland Streams: Restoration with a Biological Focus. Master's Thesis, U of Washington. <<http://depts.washington.edu/cwws/theses/morley.pdf>>, accessed 8 December 2003.
- National Weather Service Forecast Office – Green Bay, WI. 2004. Archived Climate Data. <<http://www.crh.noaa.gov/grb/data/index.htm>>, accessed 1 February 2005.
- Nelson, Erin J.; Booth, Derek B. 2002. Sediment Sources in an Urbanizing, Mixed Land-Use Watershed. Journal of Hydrology, 264: 51-68.
- Niemi, Timothy J. 2005. Village of Howard Public Works Department, GIS Coordinator. Personal communication.
- North Carolina Department of Environmental and Natural Resources, Division of Water Quality. 2002. Assessment Report: Biological Impairment in the Upper Clark Creek Watershed, Catawba River Basin, Catawba County, N.C. Raleigh, NC: Clean Water Management Trust Fund.
- Novotny, Vladimir; Chesters, Gordon. 1981. Handbook of Nonpoint Pollution Sources and Management. New York, NY: Van Nostrand Reinhold Company.

- O'Leary, Mark; Eppich, Doug; Lehnhardt, Susan. 2004. Recommendations for Alternative Storm Water Management Practices, Innovative Best Management Practices (BMPs), & Restoration Strategies in the Baird Creek Parkway, Green Bay, WI. Brodhead, WI: Applied Ecological Services, Inc.
- Olsen, D.S.; Whitaker, A.C.; Potts, D.F. 1997. Assessing Stream Channel Stability Thresholds Using Flow Competence Estimates at Bankfull Stage. Journal of the American Water Resources Association, 33(6): 1197-1207.
- Owens, David W.; Jopke, Peter; Hall, David W.; Balousek, Jeremy; Roa, Aicardo. 2000. Soil Erosion from Two Small Construction Sites, Dane County, Wisconsin. US Geological Survey Fact Sheet FS-109-00, Middleton, WI.
- Packman, J.J.; Comings, K.J.; Booth, D.B. 1999. Using turbidity to determine total suspended solids in urbanizing streams in the Puget Lowlands: in Confronting Uncertainty: Managing Change in Water Resources and the Environment. Canadian Water Resources Association Annual Meeting, Vancouver, BC, 27-29 October 1999, pp 158-165.
- Paul, Michael J.; Meyer, Judy L. 2001. Streams in the Urban Landscape. Annual Review of Ecology Systems, 32: 333-365.
- Porterfield, George. 1972. Computation of Fluvial-Sediment Discharges. U.S. Geological Survey Techniques of Water-Resources Investigations, Book 3, Chapter C2.
- Prey, Jeff; D'Antuono, Jim; Foxe, Ruth. 1993. Nonpoint Source Control Plan for the East River Priority Watershed Project. Publication WR-274-93. Wisconsin Department of Natural Resources, Madison, WI.
- Prince George's County Maryland. 1999. Low-Impact Development: An Integrated Design Approach. Programs and Planning Division, Department of Environmental Resources, Largo, MD.
- Purdue Research Foundation. 2004. L-THIA Model. <<http://www.ecn.purdue.edu/runoff>>, accessed 3 May 2004.
- Randerson, T.J.; Fink, J.C.; Fermanich, K.J.; Baumgart, P.; Ehlinger, T. 2005. Total Suspended Solids-Turbidity Correlation in Northeastern Wisconsin Streams. American Water Resources Association Wisconsin Section Annual Meeting, Delavan, WI, 3-4 March 2005, pp 38.
- Rantz, S.E. 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. US Geological Survey Water-Supply Paper 2175, Washington, DC.

- Reyburn, James. 2003. Baird Creek Watershed Management Study. Wisconsin Department of Natural Resources, Madison, WI.
- Robertson, Dale M.; Saad, David A. 1996. Water-Quality Assessment of the Western Lake Michigan Drainages – Analysis of Available Information on Nutrients and Suspended Sediment, Water Years 1971-1990. US Geological Survey Water-Resources Investigations Report 96-4012, Madison, WI.
- SAS Institute, Inc. 2003. SAS for Windows 9.1.
- Schueler, Thomas R. 1996. Crafting Better Urban Watershed Protection Plans. Watershed Protection Techniques, 2(2): 329-337.
- Schueler, Thomas R.; Holland, Heather K., ed. 2000a. Article 1: The Importance of Imperviousness. The Practice of Watershed Protection. Ellicott City, MD: The Center for Watershed Protection.
- Schueler, Thomas R.; Holland, Heather K., ed. 2000b. Article 19: Dynamics of Urban Stream Channel Enlargement. The Practice of Watershed Protection. Ellicott City, MD: The Center for Watershed Protection.
- Schueler, Thomas R.; Holland, Heather K., ed. 2000c. Article 20: Stream Channel Geometry Used to Assess Land Use Impacts in the Northwest. The Practice of Watershed Protection. Ellicott City, MD: The Center for Watershed Protection.
- Schueler, Thomas R.; Holland, Heather K., ed. 2000d. Article 129: The Peculiarities of Perviousness. The Practice of Watershed Protection. Ellicott City, MD: The Center for Watershed Protection.
- Selbig, William R.; Jopke, Peter L.; Marshall, David W.; Sorge, Michael J. 2004. Hydrologic, Ecologic, and Geomorphic Responses of Brewery Creek to Construction of a Residential Subdivision, Dane County, Wisconsin, 1999-2002. US Geological Survey Scientific Investigations Report 2004-5156, Reston, VA.
- Shelton, Larry R. 1994. Field Guide for Collecting and Processing Stream-Water Samples for the National Water-Quality Assessment Program. US Geological Survey Open-File Report 94-455, Sacramento, CA.
- State of Wisconsin Department of Administration. 2004. <<http://www.doa.state.wi.us>>, accessed 24 February 2004.
- Stoll, William W.; Larson, John L.; O’Leary, Mark J.; Zimmerman, Steve R. 2003. Baird Creek Greenway Ecological Assessment and Management Plan. Brodhead, WI: Applied Ecological Services, Inc.

- Stone, B. Jr. 2004. Paving Over Paradise: How Land Use Regulations Promote Residential Imperviousness. Landscape and Urban Planning, 69: 101-113.
- Thornton, J.A.; Rast, W.; Holland, M.M.; Jolankai, G.; Ryding, S.O. 1999. Assessment and Control of Nonpoint Source Pollution of Aquatic Ecosystems: A Practical Approach. New York, NY: The Parthenon Publishing Group, Inc.
- Trimble, Stanley W. 1997. Contribution of Stream Channel Erosion to Sediment Yield from an Urbanizing Watershed. Science, 278: 1442-1444.
- U.S. Department of Agriculture, Natural Resources Conservation Service. 2003. National Soil Survey Handbook, title 430-VI. <<http://soils.usda.gov/technical/handbook/>>, accessed 4 April 2005.
- U.S. Environmental Protection Agency. 1983. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020. Cincinnati, OH: US EPA Environmental Monitoring and Support Laboratory.
- U.S. Forest Service. 2002. Laboratory Procedures for Determining Suspended Sediment Concentration. Arcata, CA: Redwood Sciences Laboratory. <http://www.fs.fed.us/psw/topics/water/tts/manuals/sedlab_manual.doc>, accessed 18 March 2005.
- Wang, L., et al. 1997. Influences of Watershed Land Use on Habitat Quality and Biotic Integrity in Wisconsin Streams. Fisheries, 22: 6-12.
- Ward, Andy D.; Trimble, Stanley W. 2004. Environmental Hydrology. Boca Raton, FL: Lewis Publishers.
- Wolman, M. Gordon; Schick, Asher P. 1967. Effects of Construction on Fluvial Sediment, Urban and Suburban Areas of Maryland. Water Resources Research, 3(2): 451-464.
- Ziegler, Andrew C. 2002. Issues Related to Use of Turbidity Measurements as a Surrogate for Suspended Sediment, Turbidity and Other Sediment Surrogates Workshop, Reno, NV, 30 April - 2 May 2002.